

AMERICAN INCH CENTERFIRE RIFLE 41 to 70 caliber

Updated 2-9-19

Caliber-Loading

Headstamp-Description

Price

411 Hawk

300 grain SP

Z-HAT/QUAL-CART 411 HAWK (nickel primer)

12.00

416 Taylor

400 grain Monolithic

A-SQUARE 416 Taylor (flat nickel primer)

12.50



416 Hoffman

350 grain Mag Tip

QUAL-CART 416 HOFFMAN (flat nickel primer).....

7.65

400 grain Monolithic RN

A-SQUARE 416 HOFFMAN (flat nickel primer)

7.50

400 grain Monolithic RN

A-SQUARE 416 HFMN (flat nickel primer)

7.50

416 Rimmed (Chapuis)

400gr. Monolithic

A-SQUARE 416 CHAPUIS (flat nickel primer).....

18.00

400 gr. Dead Tough

Same as above.....

18.00

423 OKH

400 grain DGX

QUAL-CART 423 OKH (nickel primer)

8.00


424 OKH

400 grain DGX

QUAL-CART 424 OKH (flat nickel primer)

12.50

425 Express



400 grain Monolithic

A-SQUARE 425 EXPRESS (flat nickel primer. This is NOT the 425 Westley Richards
It is a concoction of Hopkins & Collins based on the 300 Win. Mag. Case.
Designed for large North American game)

10.00

400 grain SP

QUAL-CART 425 EXPRESS (flat nickel primer)

8.50

350 grain SP

Same as above.....

8.50

44 Evans, New model

LDFN

Plain with beveled rim, 1.59" case with rounded copper primer)

4.50

LDFN

Plain flat base, 1.52" case with rounded brass primer)

4.50

44 Extra Long Wesson 1.62" case

LDRN two exposed grooves

Plain flat base with rounded brass primer, 1.61" case, 2.18" oal.....

5.00

LDRN, two groove

W.R.A.CO. 44 L. (rounded brass primer)

5.00

LDRN, two exposed grooves

Plain flat base with small (Orcott ?) copper primer.....

5.00

44 Colts Lightning Magazine Rifle

LDFN

W.R.A.CO. 44 C.L.M.R. (small copper primer)

12.00

44 Ballard 1.05" case

LDRN, one groove

Plain flat base with a small flat copper primer

15.00



44 Ballard Extra Long 1.62" case

LDRN, one exposed groove

Plain flat base with a copper primer.....

6.50

444 Marlin

240 gr. SNFN

R . P 444 MARLIN (flat brass primer)

1.00

44-40 Winchester & Game Getter

200 gr. FJFN, copper jacket

KYNOCH 44.W. (flat brass primer).....

4.50

Shot, full length

DOMINION 44-40 (flat brass primer, red seal, clear wad over shot, 1.61" case)

1.50

Shot, tan paper sabot

D C CO 44-40 (flat base, nickel primer, case length 1.30", oal is 1.60)

2.50

Game Getter, single lead ball

W.R.A.CO. 44 G.G. (W on copper primer).....

12.00

Game Getter, single lead ball

REM-UMC 44 W C F (U on copper primer)

3.50

Same as above except for nickel primer

3.50



44 Game Getter ball by W.R.A.CO.

#8 Shot, natural wood sabot	REM-UMC 44 W C F (rounded nickel primer, natural wood sabot is heavily waxed. and very short and virtually square ended. Seating cannl. .30" from mouth, oal 1.54". Box says "44 WIN., MAR. & REM SHOT")	1.00
LDFN	S U.M.C. H .44 CF. (rounded copper primer, <u>headstamp is raised</u> in shallow groove)	12.00
SNFN, copper jacket	WESTERN 44-40 WIN (flattened Ni primer).....	.50
Same except for flat nickel primer with a purple seal50
LDFN	* G.F.L. * 44-40 WINCH * C.F (flat brass primer, made by Fiocchi)	2.50
Shot, gray wad, black powder	U.S.C.CO. 44 W.C.F. (US on copper primer, full length case) ..	.75
Shot, buff wad	U.S. 44 W.C.F. (US on small brass primer, this is a full length case with the wad seated about .16" from slightly rolled in mouth).....	.75
FJFN, copper jacket	PETERS 44-40 (flattened nickel primer with maroon seal).....	1.50
LDFN	PETERS 44-40 (rounded copper primer).....	.50
#7 Shot, tan paper sabot	Plain rounded base with copper primer. By American Metallic Ctg. Co. Case length is 1.30", oal is 1.60".....	1.50

44-77 Sharps



LDRN, patched	Plain base, brass Berdan primer, wide flat raised ring around primer	20.00
LDRN, patched	Plain ringed base, typical UMC	20.00
LDRN, patched	Plain slightly oval base with a narrow raised ring around brass Berdan primer	20.00
LDRN, patched	Plain base, poorly defined rounded ring around a brass Berdan primer	20.00

44-90 x 2 1/4" Sharps-Remington



LDRN, patched	W.R.A.CO. 44-90 (brass Berdan primer).....	50.00
LDRN, flat tipped, patched	Plain oval base, necked case, LDRN, patched bullet. Rounded brass primer. Early E. Remington.....	30.00
LDRN, flat tip, patched	Plain ringed UMC base, large brass primer	40.00

44 2.6" Remington

New empty	C C C 44 R (Conn. Ctg. Co.).....	3.50
-----------	----------------------------------	------

45 Sharps 2.1" case

LDFN, patched	Plain flat base, large rounded copper primer. Bullet patch protrudes about 1/16" from the mouth of the case. Don't know mfg.	35.00
---------------	---	-------

45 x 2 7/8 Sharps



LDRN, patched	Plain base with large brass primer	40.00
---------------	--	-------

45 Blaser

300 grain HP	QUAL-CART 45 BLASER (flat nickel primer).....	8.50
--------------	---	------

450 Marlin

350 grain SNFN	HORNADY 450 MARLIN (brass primer).....	3.25
----------------	--	------

450 Ackley Magnum

500 grain DGS	QUAL-CART 450 ACK MAG (flat nickel primer).....	7.75
---------------	---	------

450 A.H.R.

Monolithic RN	A.H.R. 450 (nickel primer)	25.00
---------------	----------------------------------	-------

458 American

300 grain HP	QUAL-CART 458 AMERICAN (flat nickel primer).....	8.00
--------------	--	------

350 grain SNRN	Same as above.....	8.00
----------------	--------------------	------

458 Winchester Magnum



458 Winch. Magnum


SNRN,350 grain	F C 458 WIN MAG (nickeled primer & case, Safari grade cartridges).....	4.50
SNRN,510 grain	F C 458 WIN MAG (nickeled case & primer, Safari grade)	4.50
SNRN,510 grain	WINCHESTER 458 MAGNUM (nickeled primer with red seal)	4.50
465 grain Lion Load	A-SQUARE 458 WIN MAG (all red base).....	8.00
SNRN, 510 gr.	R . P 458 WIN MAG (flat brass primer)	4.50
Prototype, FJRN	Plain flat base with flat nickel primer, red seal	5.00

458 Lott



Monolithic RN, 465 grain	A-SQUARE .458 LOTT (nickeled primer)	12.00
465 grain Dead Tough	A-SQUARE .458 LOTT (nickel primer).....	12.00

45-60 Winchester



Necked blank	U.M.C. .45-60 (flattened nickel primer, blue wad seated .58" at base of neck).....	4.00
LDFN	Plain flat base with a flattened brass primer	4.00
LDFN	C C C 40-60 CF (flat brass primer)	4.00
LDFN	Plain flat base with a rounded brass primer, don't know mfg	4.00


45-70 Commercial headstamp

350 grain conical SNFN	(may be military contract)	
430 grain LDFN	45-70 MAG LEVER GUN (small, flat nickel primer).....	5.00
350 grain B.C. (SNFN)	45-70 MAG LEVER GUN (small flat nickel primer).....	5.00
1/2 charge movie blank	W-W 45-70 GOVT (flat nickel primer, 1800 fps loading by Cor-Bon)	4.50
	REM-UMC 45 GOVT (flat nickel primer, slight roll crimp over red wad with faint "1/2" in black. Wad seating cannl. .16" from mouth)	1.00
1/4 charge movie blank	REM-UMC 45-70 GOVT (flat nickel primer, six lobe partial crimp. "1/4" in black on yellow wad, 2.0" oal. Fro'm Stembridge Gun Rentals)	1.00
Black powder blank	REM-UMC 45 GOVT (nickel primer. Case is necked about 1.35" from base, blue wad seated .75" from mouth. Oal is 2.10")	1.50







Necked blank

Black powder blank	WESTERN 45-70 GOVT (flat nickel primer, case is necked slightly 1.8" from the base, has a smooth cannl.1.48" from base. Tan wad, oal is 2.10")	1.00
Blank, buff wad	REM-UMC 45 GOVT (flat nickel primer, slight roll crimp over wad. Oal is 2.08")	1.50



Lever gun by Buffalo Bore

LDFN, probably 405 grain	REM-UMC 45 GOVT (flat nickel primer)	1.25
405 grain SNFN	REM-UMC 45 GOVT (flat nickel primer)	1.25
FJFN, tinned jacket	REM-UMC 45 GOVT (rounded nickel primer)	2.00
SNFN, tinned jacket	REM-UMC 45 GOVT (U on copper primer, lead tip showing only at very end of bullet. These bullets have three cannl. grooves and weigh in at 432 grains)	2.00
Shot, natural wood sabot	REM-UMC 45 GOVT (flat nickel primer).....	2.00
Gattling Gun Blank	REM-UMC 45 GOVT (rounded nickel primer, tan wad is seated about .52" from mouth which is tapered closed to a .26" i.d. Oal is 2.54" Box says for Accles Feed)	2.00
Same, only plain flat base with a rounded brass primer, look like early Winchester	REM-UMC 45 GOVT (rounded copper primer, black powder loads. No cannl. case, oal is 2.3", whole cartridge weighs 627 grains)	2.50
Multi-ball (3 x 134 grain)	REM-UMC 45 GOVT (rounded copper primer, black powder loads. No cannl. case, oal is 2.3", whole cartridge weighs 627 grains)	4.00
Multi-ball (3 x 134 grain balls)	U.M.C. .45 GOVT. (flat brass primer, black powder loads, whole cartridge is 612 grains, has seating cannl. .7" from mouth)	4.00
500 grain LDRN	U.M.C. .45 GOVT. (flat brass primer, has seating cannl. .68" from mouth, cases have been cleaned but are very good)	1.00
405 grain LDRN	U.M.C. 45 GOVT. (rounded brass primer)	2.50
500 grain LDRN	S U.M.C. H .45-70. (rounded brass primer)	2.00
500 grain LDRN	U.S.C.CO. 45-70 (rounded copper primer)	2.00
Same except for US logo on rounded copper primer.....		2.00
SNFN, tinned jacket	U.S.C.CO. 45-70 (rounded brass primer).....	2.50


Proof, 405 grain SNFN	W-W 45-70 GOVT (all red base, nickered case, red bullet)	2.00
Action proving dummy, SNFN	W-W 45-70 GOVT (hole in black primer, blackened case. 405 grain bullet)	2.00
Commemorative	W-W 45-70 GOVT (flat nickel primer. The lower case has a plastic overwrap that says: "SAN FRANCISCO CCCA 2ND ANN. JUNE 9-10 1979". These were to commemorate the Calif. Ctg. Coll. Assn. 2nd annual show.)	7.50
SNFN, copper jacket	WRA 45-70 GOVT (flat nickel primer)	1.50
500 grain LDRN	W.R.A.CO. 45-70 (rounded brass primer, headstamp is small and on a raised flat ring on base of case. Box says "Extra heavy solid head". Black powder loads)	2.00
500 grain LDRN	W.R.A.CO. 45-70 (headstamp in narrow raised ring on base, W in circle on brass primer. Seating cannl .59" from case mouth.)	2.50
Blank	W.R.A.CO. .45-70 (W in circle on rounded brass primer. Tan wad is seated on smooth seating cannl. about .53" from tapered case mouth. Oal is 2.10")	1.50
405 grain LDRN	W.R.A.CO. .45-70 (rounded brass primer, headstamp on .14" wide raised ring)	3.25
Same as above except headstamp on .10" wide raised ring	W.R.A.CO. .45-70 (rounded brass primer)	1.50
405 grain LDFN, M86	W.R.A.CO. .45-70 (rounded brass primer)	4.00
LDFN	W.R.A.CO. 45-70 (rounded brass primer)	1.00
500 grain LDRN	W.R.A.CO. 45-70 (rounded brass primer)	2.00
405 grain LDRN	WESTERN 45-70 (rounded nickel primer, "Nublend Powder")	1.50
405 grain LDRN	D.C.CO. 45 405 70 (rounded brass primer, need a little cleaning)	20.00
Same except for rounded copper primer.....	20.00
Gould LDHP	W.R.A.CO. 45-70 (flattened brass primer).....	6.00
SNFN, tinned jacket	W.R.A.CO. .45-70 (W in brass primer, W in bullet jacket)	2.50
LDRN	Plain flat base with large brass Berdan primer	2.50
LDRN, 405 grain	Plain base with flat raised ring around small, brass Remington-Keene primer	5.00
Same as above except for LDFN bullet.....	5.00
<u>45-(55 & 70) U.S. Military</u>		
Rifle 405 grain LDRN.....	R 8 L 79 (copper case with slightly concave copper primer)	20.00
	R 6 F 81 (Benet primed copper case)	7.50
		
45-70-500		
Rifle 500 grain LDRN	F 2 87 (tinned Morse patent two-piece case, copper primer)	10.50
	F 1 87 (same as above, slightly more worn)	6.00
	R F 2 86 (copper case & primer).....	6.00
Frankford Arsenal blank	Plain base, non-magnetic low Benet cup primer. Wad is the bees wax-pine tar mix, oal is 1.60".....	5.00
Same	Same, wad is tan paper cup seated .18" from mouth. Oal of 1.60"	5.00
Same except for clear primer seal.....	1.00
<u>45-70 Lever Gun</u>		
430 grain LDFN	LEVER GUN 45-70 MAG (flat nickel primer, by Buffalo Bore).....	5.00
350 grain Trincated Cone SN	Same as above.....	5.00
<u>45-75 Sharps 2.1" case.</u>		
		
LDRN, patched	Plain base with a rounded copper primer	32.00
<u>45-75 Winchester</u>		
		
LDFN	W.R.A.CO.45-75 W.C.F. (brass primer).....	15.00
LDFN	9 D.C.Co. 9 45-75 (good headstamp, these are reloads, good condition. These usually sell several times this price, got them cheap)	5.00
350 grain LDFN	U.M.C. 45-75 (rounded nickel primer)	12.00
LDFN	D.C.CO. 45-75 (copper primer. Cases a little dingy, will clean up fine.	12.00
<u>45-80-500 2.4"</u>		
		

500 grain LDRN	R 6 F 83 (rounded copper primer, 2.4" copper case, so called "Sharpshooter" round)	15.00
500 grain LDRN	R 9 F 82 (same as above)	15.00
45-90 Winchester		
SNFN, tinned jacket	REM-UMC 45-90 (nickel primer, headstamp impressed on flat ring)	6.50
SNFN, copper jacket	REM-UMC 45-90 (nickel primer, headstamp impressed on flat ring)	6.50
Same except headstamp is on a flat base with a flat brass primer)		6.50
LDFN, 300 grain	S U.M.C. H .45-90. (brass primer)	8.50
SNFN, 300 grain	PETERS 45-90 (nickel primer)	6.50
LDFN, 300 grain	C C C 45/90 (flat Ni primer, Conn. Ctg. Co.)	6.50
350 gr. SNRN, copper jacket	C C C 45/90 (flat brass primer, Conn. Ctg. Co.)	7.50



458 SOCOM

300 grain SNHP	★ 458 ★ SOCOM (flat nickel primer. Designed for modified M-16 uppers)	3.25
----------------	---	------




470 Ackley Magnum

500 grain SNRN	QUAL-CART 470 ACK MAG (flat nickel primer)	12.00
500 grain FJRN, flat tip	Same as above	13.00

470 Mbogo

500 grain FMJ	QUAL-CART 470 MBOGO (nickel primer)	15.00
---------------	-------------------------------------	-------



475 Ackley Magnum

500 grain SNRN	QUAL-CART 475 ACK MAG (flat nickel primer)	12.00
500 grain FJRN, flat tip	Same as above	13.00

475 A & M Magnum

500 grain SN	QUAL-CART 475 A & M (flat nickel primer)	18.00
--------------	--	-------

495 A-Square

570 grain Monolithic	A-SQUARE 495 A-SQ. (flat nickel primer)	11.00
525 grain SN	QUAL-CART 495 A-SQUARE (flat nickel primer)	15.00



50 Spotter-Tracer

M48A1	L C 6 8 (brass primer with red seal)	22.50
-------	--------------------------------------	-------

50 B & M 1.95"

385 grain HP	QUAL-CART 50 B & M (flat nickel primer)	7.75
--------------	---	------



50 Beowulf

334 grain HP	ALEX-A .50 BEO (flat nickel primer, another one for modified AR-10 uppers)	4.50
385 grain Monolithic HP	Same	5.00
334 grain FJFN	Same	5.00

50 Alaskan

300 grain Kodiak	★— ★ 50 ALASKAN (nickel case & primer, from Quality Ctg. box)	7.50
300 grain LDFN	★— ★ 50 ALASKAN (same as above)	7.00

50 Browning

661 grain FJPTD M33 Ball	BARRETT 50 BMG (flat brass primer with purple seal)	6.50
--------------------------	---	------

50 Carbine

450 grain LDRN, flat tip

CCC 50 CARB (nickel primer, by Conn. Ctgt. Co.)..... 7.50

50-45 Carbine



LDRN, flat tip 400 grain



W.R.A.CO. .50 CARB. (rounded brass primer) 25.00



Plain base, iron bar anvil primer copper case 25.00

50-55 Carbine

Blunt LDRN

Plain base, low copper cup Benet primed..... 20.00

50-70 Springfield

LDRN, blunt ogive

Plain copper case, low copper cup (.20") Benet primed, oal is 2.16"..... 25.00

LDRN


Plain base, high iron cup Benet primed copper case 25.00

LDRN

Plain base, high copper cup Benet primed, copper case 25.00

LDRN

Plain base, low copper cup Benet primed, copper case..... 25.00



Blank

Plain base, low cup Benet primed copper case. Wad down .5" from tapered mouth, case length of 1.75"..... 17.50

Blank

High iron cup Benet primed..... 17.50

Blank, tan wad

Plain base with a rounded brass primer, copper case 6.50

LDRN, flat tip

Plain, Martin primed copper case 40.00

LDFN

OLD RELIABLE 50-70 (nickel primer, another modern case handload) 3.00

Blank, pink wad

S U.M.C. H 50-70 (brass Berdan primer, slight roll crimp over wad, these have minor spotting that will clean OK) 3.00

Blank, 1/4th charge

REM-UMC 50-70 (rounded nickel primer, deep seated tan wad) 2.50

Same except for flat nickel primer and slightly irregular case mouths 1.00

Blank, full charge

REM-UMC 50-70 (flat nickeled primer, wad seated flush with mouth of case)..... 2.50

Blank

REM-UMC 50-70 (flat nickel primer, blue wad seated .60" from mouth, shoulder in case .58 down from mouth holds wad in place) 2.00

Blank, buff wad

Plain base, rounded at rim. Case is brass but has taken on a coppery patina, mouth slightly rounded inward, Brass primer 3.00

LDRN, flat tip

CCC 50/70 (small headstamp on drawn cases, brass primer, by Conn. ctg. Co.) 5.00

LDRN, flat tip

C C C 50/70 GOVT (large headstamp on turned cases, flat nickel primer) 5.00

50-95 Winchester

Express FN

D.C.Co. 50-95 EX. (flattened copper primer, badly tarnished)..... 30.00

500 Ennis

385 grain HP

QUAL-CART 500 ENNIS (flat nickel primer) 6.00

500 A.H.R.

FJRN

500 A.H.R.(nickel primer)..... 25.00

SNRN

500 A.H.R. (nickel primer)..... 25.00

50-110 Winchester

LDFN

C C C 50/110 (by Conn. Ctgt. Co., appear to be the early turned cases) 7.50

550 Magnum

600 grain SN

QUAL-CART 550 MAGNUM (flat nickel primer)..... 20.00

585 Nyati

650 grain SWN

(two Kangaroo symbols) 585 NYATI BB (flat nickel primer, by Quality Cartridge). 22.50

750 grain FJRN

Same as above..... 22.50


Monolithic RN, flat tip

Same as above..... 27.00

585 A.H.R.

SNRN

585-AHR JI (nickel primer)..... 35.00



58 Transformed Musket	58 Musket Benet primed	585 Nyati
<u>58 Musket</u>		
LDRN	Plain base, <u>Benet primed</u> 1 3/16" copper case, non-magnetic base	35.00
<u>58 Transformed Musket</u>		
LDRN, one exposed groove	Plain base with a brass <u>Berdan</u> primer	22.50
Blank, deep seated tan wad	Plain flat base with a Berdan primer	17.50