

Caliber-Loading	Headstamp-Description	Price
------------------------	------------------------------	--------------

411 Hawk 300 grain SP	Z-HAT/QUAL-CART 411 HAWK (nickel primer)	12.00
---------------------------------	--	-------

416 Taylor 400 grain Monolithic	A-SQUARE 416 Taylor (flat nickel primer).....	12.50
---	---	-------



416 Hoffman 350 grain Mag Tip	QUAL-CART 416 HOFFMAN (flat nickel primer).....	7.65
400 grain Monolithic RN	A-SQUARE 416 HOFFMAN (flat nickel primer).....	7.50
400 grain Monolithic RN	A-SQUARE 416 HFMN (flat nickel primer).....	7.50

416 Rimmed (Chapuis) 400gr. Monolithic	A-SQUARE 416 CHAPUIS (flat nickel primer)	18.00
400 gr. Dead Tough	Same as above.....	18.00

423 OKH 400 grain DGX	QUAL-CART 423 OKH (nickel primer)	8.00
---------------------------------	---	------

424 OKH 400 grain DGX	QUAL-CART 424 OKH (flat nickel primer).....	12.50
---------------------------------	---	-------



400 grain Monolithic	A-SQUARE 425 EXPRESS (flat nickel primer. This is NOT the 425 Westley Richards It is a concoction of Hopkins & Collins based on the 300 Win. Mag. Case. Designed for large North American game)	10.00
----------------------	---	-------

400 grain SP	QUAL-CART 425 EXPRESS (flat nickel primer)	8.50
--------------	--	------

350 grain SP	Same as above.....	8.50
--------------	--------------------	------

425 Westley Richards 410 grain FJRN	K W.R. 425 (flat brass primer, full ring crimp)	17.50
---	---	-------

44 Evans, New model LDFN	Plain with beveled rim, 1.59" case with rounded copper primer)	4.50
LDFN	Plain flat base, 1.52" case with rounded brass primer)	4.50

44 Wesson Long 1.62" case LDRN with two exposed grooves	Plain flat base with rounded brass primer, 1.61" case, 2.18" oal	5.00
---	--	------

LDRN, two exposed grooves	Plain flat base with small copper primer, 1.61" case, 2.18 oal	5.00
---------------------------	--	------

LDRN, one exposed groove	Plain flat base with small copper primer, 1.61" case, oal 2.16"	5.00
--------------------------	---	------

44 Ballard LDRN, one groove	Plain flat base with a small flat copper primer	15.00
---------------------------------------	---	-------



44 Ballard Extra Long LDRN, one exposed groove	Plain flat base with a small copper primer, Case length is 1.60"	7.50
--	--	------

Shot, pink paper RN sabot	REM-UMC 44 XL (nickel primer)	4.50
---------------------------	-------------------------------------	------

444 Marlin 240 gr. SNFN	R . P 444 MARLIN (flat brass primer)	1.00
-----------------------------------	--	------

44-40 Winchester 200 gr. FJFN, copper jacket	KYNOCH 44.W. (flat brass primer).....	4.50
--	---------------------------------------	------

Shot, full length	DOMINION 44-40 (flat brass primer, red seal, clear wad over shot, 1.61" case)	1.50
-------------------	---	------

Shot, tan paper sabot	D C CO 44-40 (flat base , nickel primer, case length 1.30", oal is 1.60)	2.50
-----------------------	--	------

Lead ball, Game Getter	REM-UMC 44 W C F (u on copper primer)	2.00
------------------------	---	------

#8 Shot, natural wood sabot	REM-UMC 44 W C F (rounded nickel primer, natural wood sabot is heavily waxed. and very short and virtually square ended. Seating cannl. .30" from mouth, oal 1.54".	
-----------------------------	---	--

	Box says "44 WIN., MAR. & REM SHOT")	1.00
LDFN	S U.M.C. H .44 CF. (rounded copper primer, <u>headstamp is raised</u> in shallow groove)	12.00
SNFN, copper jacket	WESTERN 44-40 WIN (flattened Ni primer)50
Same except for flat nickel primer with a purple seal50
LDFN	* G.F.L. * 44-40 WINCH * C.F (flat brass primer, made by Fiocchi)	2.50
Shot, gray wad, black powder	U.S.C.CO. 44 W.C.F. (US on copper primer, full length case)75
Shot, buff wad	U.S. 44 W.C.F. (US on small brass primer, this is a full length case with the wad seated about .16" from slightly rolled in mouth).....	.75
FJFN, copper jacket	PETERS 44-40 (flattened nickel primer with maroon seal).....	1.50
LDFN	PETERS 44-40 (rounded copper primer).....	.50
#7 Shot, tan paper sabot	Plain rounded base with copper primer. By American Metallic Ctg. Co. Case length is 1.30", oal is 1.60".....	1.50

44-77 Sharps

LDRN, patched	Plain base, brass Berdan primer, wide flat raised ring around primer.....	20.00
LDRN, patched	Plain oval base. Early Remington	22.00
LDRN, patched	Plain ringed base, typical UMC	20.00
LDRN, patched	Plain slightly oval base with a narrow raised ring around brass Berdan primer	20.00
LDRN, patched	Plain base, poorly defined rounded ring around a brass Berdan primer.....	20.00

44-90 x 2 1/4" Sharps-Remington

LDRN, flat tipped, patched	Plain oval base, necked case, LDRN, patched bullet. Rounded brass primer. Early E. Remington.....	30.00
LDRN, flat tip, patched	Plain ringed UMC base	40.00



44 2.6" Remington

New empty	C C C 44 R (Conn. Ctg. Co.)	3.50
-----------	-----------------------------------	------

45 Sharps 2.1" case

LDFN, patched	Plain flat base, large rounded copper primer. Bullet patch protrudes about 1/16" from the mouth of the case. Don't know mfg.	35.00
---------------	---	-------

45 Sharps 2.6" case

LDFN, patched	W.R.A.CO. 45 S. 2 6/10 (brass primer).....	50.00
---------------	--	-------

45 x 2 7/8 Sharps



LDRN, patched	Plain base with large brass primer	40.00
---------------	--	-------

45 Blaser

300 grain HP	QUAL-CART 45 BLASER (flat nickel primer)	8.50
--------------	--	------

450 Marlin

350 grain SNFN	HORNADY 450 MARLIN (brass primer).....	3.25
----------------	--	------

450 Ackley Magnum

500 grain DGS	QUAL-CART 450 ACK MAG (flat nickel primer)	7.75
---------------	--	------

450 A.H.R.

Monolithic RN	A.H.R. 450 (nickel primer)	25.00
---------------	----------------------------------	-------

458 MCW

500 grain DGS	QUAL-CART 458 DGW (flat nickel primer).....	13.00
---------------	---	-------

458 American

300 grain HP	QUAL-CART 458 AMERICAN (flat nickel primer)	8.00
--------------	---	------

350 grain SNRN	Same as above.....	8.00
----------------	--------------------	------

458 Winchester Magnum



458 Winch. Magnum

SNRN,350 grain	F C 458 WIN MAG (nickeled primer & case, Safari grade cartridges).....	4.50
----------------	--	------

SNRN,510 grain	F C 458 WIN MAG (nickeled case & primer, Safari grade)	4.50
----------------	--	------

SNRN,510 grain	WINCHESTER 458 MAGNUM (nickeled primer with red seal)	4.50
----------------	---	------

465 grain Lion Load	A-SQUARE 458 WIN MAG (all red base)	8.00
---------------------	---	------

SNRN, 510 gr.	R . P 458 WIN MAG (flat brass primer)	4.50
Prototype, FJRN	Plain flat base with flat nickel primer, red seal	5.00

458 Lott



Monolithic RN, 465 grain	A-SQUARE .458 LOTT (nickeled primer)	12.00
465 grain Dead Tough	A-SQUARE .458 LOTT (nickel primer)	12.00



45-60 Winchester

Necked blank	U.M.C. .45-60 (flattened nickel primer, blue wad seated .58" at base of neck).....	4.00
LDFN	Plain flat base with a flattened brass primer.....	4.00
LDFN	C C C 40-60 CF (flat brass primer)	4.00
LDFN	Plain flat base with a rounded brass primer, don't know mfg	4.00

45-70 Commercial headstamp (may be military contract)

350 grain conical SNFN	45-70 MAG LEVER GUN (small, flat nickel primer).....	5.00
430 grain LDFN	45-70 MAG LEVER GUN (small flat nickel primer).....	5.00
350 grain B.C. (SNFN)	W-W 45-70 GOVT (flat nickel primer, 1800 fps loading by Cor-Bon).....	4.50
1/2 charge movie blank	REM-UMC 45 GOVT (flat nickel primer, slight roll crimp over red wad with faint "1/2" in black. Wad seating cannl. .16" from mouth)	1.00
1/4 charge movie blank	REM-UMC 45-70 GOVT (flat nickel primer, six lobe partial crimp. "1/4" in black on yellow wad, 2.0" oal. From Stembridge Gun Rentals)	1.00
Black powder blank	REM-UMC 45 GOVT (nickel primer. Case is necked about 1.35" from base, blue wad seated .75" from mouth. Oal is 2.10")	1.50





Necked blank

Black powder blank	WESTERN 45-70 GOVT (flat nickel primer, case is necked slightly 1.8" from the base, has a smooth cannl.1.48" from base. Tan wad, oal is 2.10")	1.00
Blank, buff wad	REM-UMC 45 GOVT (flat nickel primer, slight roll crimp over wad. Oal is 2.08")	1.50



Lever gun by Buffalo Bore


LDFN, probably 405 grain	REM-UMC 45 GOVT (flat nickel primer)	1.25
405 grain SNFN	REM-UMC 45 GOVT (flat nickel primer)	1.25
FJFN, tinned jacket	REM-UMC 45 GOVT (rounded nickel primer)	2.00
SNFN, tinned jacket	REM-UMC 45 GOVT (U on copper primer, lead tip showing only at very end of bullet. These bullets have three cannl. grooves and weigh in at 432 grains)	2.00
Shot, natural wood sabot	REM-UMC 45 GOVT (flat nickel primer)	2.00
Gatling Gun Blank	REM-UMC 45 GOVT (rounded nickel primer, tan wad is seated about .52" from mouth which is tapered closed to a .26" i.d. Oal is 2.54" Box says for Accles Feed)	2.00
Same, only plain flat base with a rounded brass primer, look like early Winchester	2.50
Multi-ball (3 x 134 grain)	REM-UMC 45 GOVT (rounded copper primer, black powder loads. No cannl. case, oal is 2.3", whole cartridge weighs 627 grains)	4.00
Multi-ball (3 x 134 grain balls)	U.M.C. .45 GOVT. (flat brass primer, black powder loads, whole cartridge is 612 grains, has seating cannl. .7" from mouth)	4.00
500 grain LDRN	U.M.C. .45 GOVT. (flat brass primer, has seating cannl. .68" from mouth, cases have been cleaned but are very good)	1.00
405 grain LDRN	U.M.C. 45 GOVT. (rounded brass primer)	2.50
Shot, natural wood sabot	S U.M.C. H .45-70. (rounded brass primer, oals vary 2.8" to 2.95 from same box) .	2.00
500 grain LDRN	S U.M.C. H .45-70. (rounded brass primer)	2.00
500 grain LDRN	U.S.C.CO. 45-70 (rounded copper primer)	2.00
Same except for US logo on rounded copper primer.....	2.00
SNFN, tinned jacket	U.S.C.CO. 45-70 (rounded brass primer).....	2.50
Proof, 405 grain SNFN	W-W 45-70 GOVT (all red base, nickeled case, red bullet)	2.00
Action proving dummy, SNFN	W-W 45-70 GOVT (hole in black primer, blackened case. 405 grain bullet)	2.00
Commemorative	W-W 45-70 GOVT (flat nickel primer. The lower case has a plastic overwrap that says:	

	"SAN FRANCISCO CCCA 2ND ANN. JUNE 9-10 1979". These were to commemorate the Calif. Ctg. Coll. Assn. 2nd annual show.)	7.50
SNFN, copper jacket	WRA 45-70 GOVT (flat nickel primer)	1.50
500 grain LDRN	W.R.A.CO. 45-70 (rounded brass primer, headstamp is small and on a raised flat ring on base of case. Box says "Extra heavy solid head". Black powder loads)	2.00
500 grain LDRN	W.R.A.CO. 45-70 (headstamp in narrow raised ring on base, W in circle on brass primer. Seating cannl .59" from case mouth.)	2.50
Blank	W.R.A.CO. .45-70 (W in circle on rounded brass primer. Tan wad is seated on smooth seating cannl. about .53" from tapered case mouth. Oal is 2.10")	1.50
405 grain LDRN	W.R.A.CO. .45-70 (rounded brass primer, headstamp on .14" wide raised ring)	3.25
Same as above except headstamp on .10" wide raised ring		1.50
405 grain LDFN, M86	W.R.A.CO. .45-70 (rounded brass primer)	4.00
LDFN	W.R.A.CO. 45-70 (rounded brass primer)	1.00
500 grain LDRN	W.R.A.CO. 45-70 (rounded brass primer)	2.00
405 grain LDRN	WESTERN 45-70 (rounded nickel primer, "Nublend Powder")	1.50
405 grain LDRN	D.C.CO. 45 405 70 (rounded brass primer, need a little cleaning)	20.00
Same except for rounded copper primer.....		20.00
Gould LDHP	W.R.A.CO. 45-70 (flattened brass primer).....	6.00
SNFN, tinned jacket	W.R.A.CO. .45-70 (W in brass primer, W in bullet jacket).....	2.50
LDRN	Plain flat base with large brass Berdan primer	2.50
LDRN, 405 grain	Plain base with flat raised ring around small, brass Remington-Keene primer	5.00
Same as above except for LDFN bullet.....		5.00
<u>45-(55 & 70) U.S. Military</u>		
Rifle 405 grain LDRN.....	R 8 L 79 (copper case with slightly concave copper primer)	20.00
	R 6 F 81 (Benet primed copper case)	7.50
		
	45-70-500	
Rifle 500 grain LDRN	F 2 87 (tinned Morse patent two-piece case, copper primer)	10.50
	F 1 87 (same as above, slightly more worn)	6.00
	R F 2 86 (copper case & primer).....	6.00
Frankford Arsenal blank	Plain base, non-magnetic low Benet cup primer. Wad is the bees wax-pine tar mix, oal is 1.60"	5.00
Same	Same, wad is tan paper cup seated .18" from mouth. Oal of 1.60"	5.00
Mark 1 Line throwing blank	WCC 45-70 MK1 -1943 -) brass primer, green seal. Brown lacquered wad seated about .6" from mouth, 2.10" straight case)	1.00
Same except for clear primer seal.....		1.00
Blank	Plain base with slight raised flat ring, copper primer. Laq. brown wad seated .20" from mouth, upper .20" of case mouth tapers in. Oal is 1.85"	1.00
Same except for tinned primer.....		1.00
M32 Blank	WCC 52 45 M32 (flat brass primer, red seal. Red wad seated 1.12" from mouth, slight roll crimp, oal is 2.08")	1.00
<u>45-70 Lever Gun</u>		
430 graom LDFN	LEVER GUN 45-70 MAG (flat nickel primer, by Buffalo Bore).....	5.00
350 grain Trincated Cone SN	Same as above.....	5.00
<u>45-75 Sharps 2.1" case.</u>		
LDRN, patched	Plain base with a rounded copper primer	32.00
<u>45-75 Winchester</u>		
LDFN	9 D.C.Co. 9 45-75 (good headstamp, these are reloads, good condition. These usually sell several times this price, got them cheap)	5.00
350 grain LDFN	U.M.C. 45-75 (rounded nickel primer)	12.00
LDFN	D.C.CO. 45-75 (copper primer. Cases a little dingy, will clean up fine.....	12.00
<u>45-80-500 2.4"</u>		
		
500 grain LDRN	R 6 F 83 (rounded copper primer).....	15.00

500 grain LDRN	R 6 F 83 (rounded copper primer, 2.4" copper case, so called "Sharpshooter" round)	15.00
500 grain LDRN	R 9 F 82 (same as above)	15.00
500 grain LDRN	R 4 F 81 (same as above)	15.00
500 grain LDRN	R 4 F 84 (same)	15.00
500 grain LDRN	R 3 F 83 (same)	15.00

45-90 Winchester

SNFN, tinned jacket	REM-UMC 45-90 (nickeled primer, headstamp impressed on flat ring)	6.50
SNFN, copper jacket	REM-UMC 45-90 (nickel primer, headstamp is on flat ring)	6.50
Same except headstamp is on a flat base with a flat brass primer)		6.50
LDFN	W.R.A.CO. .45-90 W.C.F. (brass primer, large headstamp)	6.50
LDFN, 300 grain	S U.M.C. H .45-90. (brass primer)	8.50
SNFN, 300 grain	PETERS 45-90 (nickeled primer)	6.50
LDFN, 300 grain	C C C 45/90 (flat Ni primer, Conn. Ctg. Co.)	6.50
350 gr. SNRN, copper jacket	C C C 45/90 (flat brass primer, Conn. Ctg. Co.)	7.50




458 SOCOM

300 grain SNHP	★ 458 ★ SOCOM (flat nickel primer. Designed for modified M-16 uppers)	3.25
----------------	---	------

460 G & A (Guns & Ammo)

SNRN	QUAL-CART 460 G & A (nickel primer)	12.50
------	-------------------------------------	-------



460 Short A-Square

500 grain Dead Tough	A-SQUARE 460 SH Q-SQ (flat nickel primer)	11.50
----------------------	---	-------

470 Ackley Magnum


500 grain SNRN	QUAL-CART 470 ACK MAG (flat nickel primer)	12.00
500 grain FJRN, flat tip	Same as above	13.00

470 Mbogo

500 grain FMJ	QUAL-CART 470 MBOGO (nickel primer)	15.00
---------------	-------------------------------------	-------

470 Capstick

500 grain Monolithic	A-SQUARE 470 Capstick (flat nickel primer)	9.00
----------------------	--	------



475 Ackley Magnum

500 grain SNRN	QUAL-CART 475 ACK MAG (flat nickel primer)	12.00
500 grain FJRN, flat tip	Same as above	13.00

475 A & M Magnum

500 grain SN	QUAL-CART 475 A & M (flat nickel primer)	18.00
--------------	--	-------

495 A-Square

570 grain Monolithic	A-SQUARE 495 A-SQ. (flat nickel primer)	11.00
525 grain SN	QUAL-CART 495 A-SQUARE (flat nickel primer)	15.00




50 Spotter-Tracer

M48A1	L C 6 8 (brass primer with red seal)	22.50
-------	--------------------------------------	-------

50 B & M 1.95"

385 grain HP	QUAL-CART 50 B & M (flat nickel primer)	7.75
--------------	---	------



50 Beowulf

334 grain HP	ALEX-A .50 BEO (flat nickel primer, another one for modified AR-10 uppers)	4.50
--------------	--	------

385 grain Monolithic HP	Same.....	5.00
334 grain FJFN	Same.....	5.00
<u>50 Alaskan</u>		
450 grain SNFN	W-W SUPER 348 WIN (flat nickel primer, a D.K.T. wildcat).....	6.25
450 grain Kodiak	★— ★ 50 ALASKAN (nickeled case & primer, by HSM, Stevensville, MT.	7.50
450 grain LDFN	★— ★ 50 ALASKAN (same as above).....	7.00
<u>50 Browning</u>		
661 grain FJPTD M33 Ball	BARRETT 50 BMG (flat brass primer with purple seal)	6.50
<u>50 Carbine</u>		
450 grain LDRN, flat tip	CCC 50 CARB (nickel primer, by Conn. Ctgt. Co.).....	7.50
<u>50-45 Carbine</u>		
		
LDRN, flat tip 400 grain	W.R.A.CO. .50 CARB. (rounded brass primer)	25.00
LDRN, flat tip	Plain base, <u>iron bar anvil primer</u> copper case	25.00
<u>50-55 Carbine</u>		
Blunt LDRN	Plain base, low copper cup Benet primed.....	20.00
<u>50-70 Springfield</u>		
LDRN, blunt ogive	Plain copper case, <u>low copper cup</u> (.20") <u>Benet primed</u> , oal is 2.16".....	25.00
LDRN	Plain base, <u>high iron cup Benet primed</u> copper case	25.00
LDRN	Plain base, <u>high copper cup Benet primed</u> , copper case.....	25.00
LDRN	Plain base, <u>low copper cup Benet primed</u> , copper case.....	25.00
		
		
Blank	Plain base, <u>low cup Benet primed</u> copper case. Wad down .5" from tapered mouth, case length of 1.75".....	17.50
Blank	High cupo Benet primed	17.50
Blank, tan wad	Plain base with a rounded brass primer, <u>copper case</u>	6.50
LDRN, flat tip	Plain, <u>Martin primed</u> copper case	40.00
LDFN	OLD RELIABLE 50-70 (nickel primer, another modern case handload)	3.00
Blank, pink wad	S U.M.C. H 50-70 (brass Berdan primer, slight roll crimp over wad, these have minor spotting that will clean OK)	3.00
Blank, 1/4th charge	REM-UMC 50-70 (rounded nickel primer, deep seated tan wad)	2.50
Same except for flat nickel primer and slightly irregular case mouths	1.00
Blank, full charge	REM-UMC 50-70 (flat nickeled primer, wad seated flush with mouth of case).....	2.50
Blank	REM-UMC 50-70 (flat nickel primer, blue wad seated .60" from mouth, shoulder in case .58 down from mouth holds wad in place)	2.00
Blank, buff wad	Plain base, rounded at rim. Case is brass but has taken on a coppery patina, mouth slightly rounded inward, Brass primer	3.00
LDRN, flat tip	CCC 50/70 (small headstamp on drawn cases, brass primer, by Conn. ctg. Co.)	5.00
LDRN, flat tip	C C C 50/70 GOVT (large headstamp on turned cases, flat nickel primer)	5.00
<u>50-95 Winchester</u>		
Express FN	D.C.Co. 50-95 EX. (flattened copper primer, badly tarnished)	30.00
<u>500 Ennis</u>		
385 grain HP	QUAL-CART 500 ENNIS (flat nickel primer).....	6.00
<u>500 A.H.R.</u>		
FJRN	500 A.H.R.(nickel primer)	25.00
SNRN	500 A.H.R. (nickel primer).....	25.00
<u>50-110 Winchester</u>		
LDFN	C C C 50/110 (by Conn. Ctgt. Co., appear to be the early turned cases)	7.50
<u>550 Magnum</u>		
600 grain SN	QUAL-CART 550 MAGNUM (flat nickel primer).....	20.00
<u>585 Nyati</u>		
650 grain SWN	(two Kangaroo symbols) 585 NYATI BB (flat nickel primer, by Quality Cartridge)	22.50
750 grain FJRN	Same as above.....	22.50

Monolithic RN, flat tip	Same as above.....	27.00
<u>585 A.H.R.</u>		
SNRN	585-AHR JI (nickel primer).....	35.00



58 Transformed Musket



58 Musket Benet primed



585 Nyati

58 Musket

LDRN

58 Transformed Musket

LDRN, one exposed groove

Blank, deep seated tan wad

600 Overkill

Monolithic FN

SNRN

Plain base, <u>Benet primed</u> 1 3/16" copper case, non-magnetic base	35.00
Plain base with a brass <u>Berdan</u> primer	22.50
Plain flat base with a Berdan primer	17.50
600 OVERKILL RG (flat nickel primer).....	35.00
Same as above.....	35.00

